




Versatile Strip Brush system to suit many applications, including...

- ✓ Draft Seal
- ✓ Ember Retardant Seal
- ✓ Pest, Vermin & Bird Seal
- ✓ Weather Seal
- ✓ Computer Cable Management
- ✓ Conveyor Cleaning

CHECK OUT OUR ONLINE STORE

www.busybee.com.au



Email: info@busybee.com.au

Phone: 03 9768 2865 | Fax: 03 9768 2875


39 Swift Way, Dandenong South Vic 3175



STRIP BRUSH SIZES & GRADES

4MM & 9MM 'BRUSH'

- The lengths listed below are the actual bristle lengths
- Manufactured in 3m lengths, sold in increments of 1, 1.5, 2, 2.5 and 3 metres
- All brushes are black unless otherwise specified
- All aluminium holders are clear anodised
- **Custom trim and lengths are available on request**



4MM BACKING - RESIDENTIAL

4MM 'BRUSH TRIM'	.007" NYLON 66	.010" NYLON 66	.008" FLAME RETARDANT NYLON	.010" FLAME RETARDANT NYLON
13.00 mm	✓	✗	✓	✗
19.00 mm	✓	✗	✓	✗
25.00 mm	✓	✗	✓	✗
38.00 mm	✓	✗	✓	✗
50.00 mm	✓	✗	✓	✗
75.00 mm	✗	✓	✗	✓
100.00 mm	✗	✓	✗	✗

9MM BACKING - INDUSTRIAL

AS= ANTI-STATIC

PP= POLYPROPYLENE

FR=FLAME RETARDANT


9MM 'BRUSH TRIM'	.015" FR PP	.012" AS PP	.018" AS PP	.025" PP	.025" RED PP	.035" RED PP
25.00 mm	✓	✓	✗	✗	✗	✗
50.00 mm	✓	✓	✗	✗	✗	✗
75.00 mm	✓	✓	✗	✗	✗	✗
100.00 mm	✓	✓	✗	✗	✓	✓
150.00 mm	✗	✗	✓	✗	✗	✗
175.00 mm	✓	✗	✗	✗	✗	✗
250.00 mm	✗	✗	✗	✓	✗	✗

CALL US TODAY ☎ 03 9768 2865

www.busybee.com.au


ALUMINUM HOLDER PROFILES

SCALE 1:1 APPROX



TRACK TYPE	A	B	C	D	T	σ
4mm F	6.70mm	6.70mm	20.00mm	⊗	1.20mm	⊗
4mm 25 Deg	6.70mm	6.70mm	43.75mm	⊗	1.20mm	25°
4mm 45 Deg	7.00mm	7.20mm	45.00mm	8.00mm	1.40mm	45°
4mm h-LONG	6.70mm	7.20mm	50.00mm	⊗	1.40mm	⊗
4mm h-SMALL	6.70mm	6.70mm	20.00mm	⊗	1.20mm	⊗


SCALE 1:1 APPROX



TRACK TYPE	A	B	C	D	T	σ
9mm F	14.00mm	13.00mm	31.00mm	⊗	1.90mm	⊗
9mm 45 Deg	14.00mm	13.00mm	40.00mm	14.00mm	1.90mm	45°
9mm h-SMALL	14.00mm	13.00mm	34.00mm	⊗	1.90mm	⊗
9mm h-DOUBLE	14.00mm	24.50mm	54.00mm	⊗	1.90mm	⊗

QUICK TIPS

MOUNTING SUGGESTION



FIXING TIPS

- Measure twice, cut once!
- Use a hacksaw to cut the aluminium holder.
- Use side or face cutters or small bolt cutters to cut the brush. Crimp the ends of the brush to secure the bristles.
- Mark and pre-drill holes in the aluminium. Do not drill the brush backing.
- Insert strip brush into holder before fitting. Lightly crimp the ends to hold them together.
- To create a seal the ends of the bristle must touch the door/floor. No gaps, no bent bristles.
- Use clamps or tape to hold the brush in position while fitting.
- Fix strip brush to the door with screws or fasteners (or double-sided tape in light applications).
- For uneven gaps, consider using the 45-degree holder.
- If you are unsure of how to fit this product, we recommend that you use an appropriate contractor to complete the job professionally.

CALL US TODAY ☎ **03 9768 2865**

www.busybee.com.au



39 Swift Way, Dandenong South Vic 3175

Email: info@busybee.com.au

Phone: 03 9768 2865 | Fax: 03 9768 2875

